



Create Your Imagination

PVC
LAMINATES

Product Information

SHEET SIZE : 8 ft x 4 ft | Thickness : 1 mm

ADHESIVE : These laminates are easy to apply with the standard laminating system, including most of the conventional adhesive normally used with plastic laminates such as many water based and solvent based. We do not recommend the use of heat activated adhesive. Wood to PVC glue.

APPLICATION : VERTICAL USE ONLY

LAMINATION : Proper substrates must be used and careful bonding procedures must be observed. Substrates should be of good quality plywood, high density particle board, or high quality fibre board. The face of the substrate must be smooth and free of grease, wax, dust, chips and other foreign matter.

We DO NOT recommend any kind of coat like PU base, melamine, lamination (wax) on your products. These products are manufactured from natural resources. Therefore this application will spoil the originality and nature beauty of the laminate sheet.

CUTTING AND MACHINING : These laminates can be cut, routed and drilled, with most standard wood working tools or equipments. All blades must be sharp, to remove any burns that may occur in the cutting process, we recommend the use of a smooth file to feather all corner edges.

BENDING AND FORMING : These laminates can be bent and all radius bending should be handled in the same manner as all grades of non post forming decorative laminates.

MAINTENANCE : Any cleaning agent containing acids, alkalis or abrasives should not be used to clean the laminate. Exposure to sunlight should be avoided.

Please use marshall tools : V Groove Blade for 90 bending of PVC LAMINATES.

No Guarantee in any Circumstances.

like Crack, Bubble, Color Fade and Color Variation

Please check material when delivered.




**ACRYLIC
GLASS
LAMINATE**


**PETG
SHEETS**

**PVC
VENEER**

**PVC
LAMINATE**



SP - 111



SP - 112




SP - 124




SP - 123

PVC LAMINATES

1




SP - 137



SP - 143



SP - 165



SP - 125



SP - 157 ★



SP - 158 ★



SP - 126



SP - 719 ★



SP - 163



SP - 117



SP - 118

PVCLAMINATES




SP - 132



SP - 160



SP - 164



SP - 323



SP - 121

PVC LAMINATES

4



SP - 114



SP - 135



SP - 113



SP - 718 ★



SP - 717 ★

PVC LAMINATES

5



SP - 119



SP - 156




SP - 154



SP - 152



SP - 155




SP - 147 ★



SP - 159 ★



SP-115



SP - 724 ★

PVCLAMINATES



SP - 704 ★



SP - 605 Core Tecno Steel



SP - 602 Core Tecno Steel



SP - 616 Core Tecno Steel



SP - 614 Core Tecno Steel



SP - 615 Core Tecno Steel



SP - 608 Core Tecno Steel



SP - 610 Core Tecno Steel



SP - 603 Core Tecno Steel






SP - 237



SP - 230



SP - 220



SP - 219



SP - 218



SP - 403



SP - 401



SP - 240



SP - 241



SP - 243



SP - 233



SP - 228



SP - 238




SP - 242



SP-320



SP-322



SP-324

PVCLAMINATES

20



Create Your Imagination

Marketed by:
**Laxmi International
Mumbai.**



**Recommended
Adhesive For Pressing
KORIBOND Special Adhesive
For PVC And Acrylic Laminates.**